

Safety data sheet
according to 2020/878/EU

Printing date 16.01.2026

Revision: 16.01.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name: Solder Mask Soldermask 3.0mil 305mm

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

Dry Film

Soldermask

Industrial Use

- Application of the substance / the mixture Dry Film

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

Bungard Elektronik GmbH & Co KG

Rilke Str. 1

51570 Windeck

++49(0)2292-928280

Info@bungard.de

Emergency Tel

ChemTel Inc.: (800)255-3924, +1

(813)248-0585

- Informing department: Product safety department.

- 1.4 Emergency telephone number:

Contact the nearest poison centre.

United Kingdom

NPIS National Poison Information Service 0344 892 0111

Centro Antiveleni Niguarda Milano +39 02-6610-1029

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 1B

H360 May damage fertility or the unborn child.



GHS07

Skin Irrit. 2

H315 Causes skin irritation.

Eye Irrit. 2

H319 Causes serious eye irritation.

(Contd. on page 2)

EU

Safety data sheet

according to 2020/878/EU,

Printing date 16.01.2026

Revision: 16.01.2026

Trade name: Soldermask 3.0mil 305mm

(Contd. of page 1)

*Skin Sens. 1 H317 May cause an allergic skin reaction.**Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.***- 2.2 Label elements****- Labelling according to Regulation (EC) No 1272/2008***The product is classified and labelled according to the CLP regulation.***- Hazard pictograms**

GHS07



GHS08

- Signal word Danger**- Hazard-determining components of labelling:***propylidynetrtrimethanol, ethoxylated, esters with acrylic acid**2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one**poly(oxy-1,2-ethanediyl), $\alpha,\alpha'-(1\text{-methyl}ethylidene)di-4,1\text{-phenylene}bis[\omega-[(1\text{-oxo-2-propen-1-yl})oxy]-$* *Methylated, butylated melamine formaldehyde resin**Epoxy acrylate - Polyol DiAcrylate**Oligomer Polyol Acrylate***- Hazard statements***H315 Causes skin irritation.**H319 Causes serious eye irritation.**H317 May cause an allergic skin reaction.**H360 May damage fertility or the unborn child.**H412 Harmful to aquatic life with long lasting effects.***- Precautionary statements***P261 Avoid breathing dust/fume/gas/mist/vapours/spray.**P273 Avoid release to the environment.**P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P405 Store locked up.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***- 2.3 Other hazards***The product does not contain substances with endocrine-disrupting properties in concentrations $\geq 0.1\%$.***- Results of PBT and vPvB assessment****- PBT:** Not applicable.**- vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****- 3.2 Mixtures****- Description:** Mixture of the substances listed below with harmless additions.**- Dangerous components:**

CAS: 28961-43-5	<i>propylidynetrtrimethanol, ethoxylated, esters with acrylic acid</i> ◆ Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	13-18%
CAS: 64401-02-1	<i>poly(oxy-1,2-ethanediyl), $\alpha,\alpha'-(1\text{-methyl}ethylidene)di-4,1\text{-phenylene}bis[\omega-[(1\text{-oxo-2-propen-1-yl})oxy]-$</i> ◆ Aquatic Chronic 2, H411; ◆ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	5-10%

(Contd. on page 3)

EU

Safety data sheet

according to 2020/878/EU,

Printing date 16.01.2026

Revision: 16.01.2026

Trade name: Soldermask 3.0mil 305mm

(Contd. of page 2)

CAS: 1314-60-9	diantimony pentoxide Diamond: Aquatic Chronic 2, H411; Exclamation: Acute Tox. 4, H302; Acute Tox. 4, H332	1-5%
CAS: 68036-97-5	Methylated, butylated melamine formaldehyde resin Diamond: Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 4, H413	1-5%
CAS: 71868-10-5	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one Diamond: Repro. 1B, H360FD; Diamond: Aquatic Chronic 2, H411; Exclamation: Acute Tox. 4, H302	1-5%
	Epoxy acrylate - Polyol DiAcrylate Diamond: Skin Sens. 1B, H317; Aquatic Chronic 3, H412	1-5%
	Oligomer Polyol Acrylate Diamond: Skin Sens. 1B, H317; Aquatic Chronic 4, H413	1-5%
CAS: 67-63-0	propan-2-ol Flame: Flam. Liq. 2, H225; Exclamation: Eye Irrit. 2, H319; STOT SE 3, H336	<1%
CAS: 78-93-3 Reg.nr.: 01-2119457290-43-XXXX	2-butanone Flame: Flam. Liq. 2, H225; Exclamation: Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	<1%
CAS: 108-65-6	2-methoxy-1-methylethyl acetate Flame: Flam. Liq. 3, H226	<1%
- SVHC		
71868-10-5	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	

- Additional information For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****- 4.1 Description of first aid measures****- General information**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation

Supply fresh air.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness bring patient into stable side position for transport.

- After skin contact If skin irritation continues, consult a doctor.**- After eye contact** Rinse opened eye for several minutes under running water.**- After swallowing**

Rinse mouth with water

Instantly call for doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.**- 4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures**- 5.1 Extinguishing media****- Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire

Carbon monoxide (CO)

(Contd. on page 4)

EU

Safety data sheet

according to 2020/878/EU,

Printing date 16.01.2026

Revision: 16.01.2026

Trade name: Soldermask 3.0mil 305mm

(Contd. of page 3)

*Carbon Dioxide (CO₂)**Nitrogen Oxides (NO_x)***- 5.3 Advice for firefighters****- Protective equipment:** Put on breathing apparatus.**SECTION 6: Accidental release measures****- 6.1 Personal precautions, protective equipment and emergency procedures***Wear protective equipment. Keep unprotected persons away.***- 6.2 Environmental precautions:***Inform respective authorities in case product reaches water or sewage system.**Do not allow to enter drainage system, surface or ground water.***- 6.3 Methods and material for containment and cleaning up:***Dispose of contaminated material as waste according to item 13.**Ensure adequate ventilation.***- 6.4 Reference to other sections***See Section 7 for information on safe handling**See Section 8 for information on personal protection equipment.**See Section 13 for information on disposal.***SECTION 7: Handling and storage****- 7.1 Precautions for safe handling***Avoid contact with eyes, skin and clothes**Ensure that suitable extractors are available on processing machines**Thorough dedusting.**Ensure good ventilation/exhaustion at the workplace.**Open and handle container with care.**Prevent formation of dust.***- Information about protection against explosions and fires:** *Keep breathing equipment ready.***- 7.2 Conditions for safe storage, including any incompatibilities****- Storage****- Requirements to be met by storerooms and containers:***Open only under gold fluorescent or equivalent yellow safelight***- Information about storage in one common storage facility:***Not required.**Store away from foodstuffs.***- Further information about storage conditions:***Store container in a well ventilated position.**Store under dry conditions.**Protect from the effects of light.**Keep container tightly sealed.***- 7.3 Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls/personal protection****- 8.1 Control parameters****- Components with limit values that require monitoring at the workplace:****1314-60-9 diantimony pentoxide**

MAK (Germany)

vgl. Abschn.XII, einatembare Fraktion

TLV (Italy)

Long-term value: 0.5 mg/m³
as Sb

(Contd. on page 5)

EU

Safety data sheet

according to 2020/878/EU,

Printing date 16.01.2026

Revision: 16.01.2026

Trade name: Soldermask 3.0mil 305mm

(Contd. of page 4)

67-63-0 propan-2-ol

AGW (Germania) Long-term value: 500 mg/m³, 200 ppm
2(II);DFG, Y

TWA (Italy) Short-term value: 983 mg/m³, 400 ppm
Long-term value: 492 mg/m³, 200 ppm
A4

78-93-3 2-butanone

IOELV (Unione Europea) Short-term value: 900 mg/m³, 300 ppm
Long-term value: 600 mg/m³, 200 ppm

AGW (Germania) Long-term value: 600 mg/m³, 200 ppm
1(I);DFG, EU, H, Y

TWA (Italy) Short-term value: 885 mg/m³, 300 ppm
Long-term value: 590 mg/m³, 200 ppm
IBE

VL (Italy) Short-term value: 900 mg/m³, 300 ppm
Long-term value: 600 mg/m³, 200 ppm

108-65-6 2-methoxy-1-methylethyl acetate

IOELV (Unione Europea) Short-term value: 550 mg/m³, 100 ppm
Long-term value: 275 mg/m³, 50 ppm

Skin

AGW (Germania) Long-term value: 270 mg/m³, 50 ppm
1(I);DFG, EU, Y

VL (Italy) Short-term value: 550 mg/m³, 100 ppm
Long-term value: 275 mg/m³, 50 ppm
Cute

- Ingredients with biological limit values:**67-63-0 propan-2-ol**

BGW (Germania) 25 mg/l
Untersuchungsmaterial: Vollblut
Probennahmezeitpunkt: Expositionsende bzw. Schichtende
Parameter: Aceton

25 mg/l
Untersuchungsmaterial: Urin
Probennahmezeitpunkt: Expositionsende bzw. Schichtende
Parameter: Aceton

IBE (Italy) 40 mg/l
Campioni: urine
Momento del prelievo: f.t.f.s.l
Indicatore biologico: acetone

78-93-3 2-butanone

BGW (Germania) 2 mg/l
Untersuchungsmaterial: Urin
Probennahmezeitpunkt: Expositionsende bzw. Schichtende
Parameter: 2-Butanon

IBE (Italy) 2 mg/l
Campioni: urine
Momento del prelievo: a fine turno
Indicatore biologico: Metil etil chetone

- Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 6)

EU

Safety data sheet

according to 2020/878/EU,

Printing date 16.01.2026

Revision: 16.01.2026

Trade name: Soldermask 3.0mil 305mm

(Contd. of page 5)

- 8.2 Exposure controls**- Appropriate engineering controls**

Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation, and control of process conditions.

- Individual protection measures, such as personal protective equipment**- General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Store protective clothing separately.

Special rooms for washing, showering and changing are required.

- Breathing equipment:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Rubber gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection

Not required.

SECTION 9: Physical and chemical properties**- 9.1 Information on basic physical and chemical properties****- General Information****- Physical state**

Solid.

- Colour:

Green

- Odour:**- Odour threshold:**

Not determined.

- Melting point/freezing point:

Not determined

- Boiling point or initial boiling point and boiling range

Not determined

- Flammability

Not determined.

- Lower and upper explosion limit

Not determined.

- Lower:

Not determined.

- Upper:

Not determined.

- Flash point:

Not applicable

- Decomposition temperature:

Not determined.

- pH

Not applicable.

- Viscosity:

Not applicable.

- Kinematic viscosity

Not applicable.

- dynamic:

Not applicable.

- Solubility

Unsoluble

(Contd. on page 7)

EU

Safety data sheet

according to 2020/878/EU,

Printing date 16.01.2026

Revision: 16.01.2026

Trade name: Soldermask 3.0mil 305mm

(Contd. of page 6)

- Partition coefficient n-octanol/water (log value)	Not determined.
- Vapour pressure:	Not applicable.
- Density and/or relative density	
- Density	Not determined
- Relative density	Not determined.
- Vapour density	Not applicable.
- Particle characteristics	See item 3.
- 9.2 Other information	
- Appearance:	
- Form:	<i>Solid.</i>
- Important information on protection of health and environment, and on safety.	
- Self-inflammability:	Product is not selfigniting.
- Explosive properties:	Product is not explosive.
- VOC	
- Water:	x
- Solids content:	100.0 %
- Change in condition	
- Evaporation rate	Not applicable.
- Information with regard to physical hazard classes	
- Explosives	Void
- Flammable gases	Void
- Aerosols	Void
- Oxidising gases	Void
- Gases under pressure	Void
- Flammable liquids	Void
- Flammable solids	Void
- Self-reactive substances and mixtures	Void
- Pyrophoric liquids	Void
- Pyrophoric solids	Void
- Self-heating substances and mixtures	Void
- Substances and mixtures, which emit flammable gases in contact with water	Void
- Oxidising liquids	Void
- Oxidising solids	Void
- Organic peroxides	Void
- Corrosive to metals	Void
- Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
Use under W (Tungsten) or yellow light
No decomposition if used and stored according to specifications.
Avoid high temperature
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

EU

(Contd. on page 8)

Safety data sheet

according to 2020/878/EU,

Printing date 16.01.2026

Revision: 16.01.2026

Trade name: Soldermask 3.0mil 305mm

(Contd. of page 7)

SECTION 11: Toxicological information**- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****- Acute toxicity** Based on available data, the classification criteria are not met.**- LD/LC50 values that are relevant for classification:****71868-10-5 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one**

Oral LD50 1,984 mg/kg (rat)

- Skin corrosion/irritation

Prolonged contact may cause skin irritation

Causes skin irritation.

- Serious eye damage/irritation Causes serious eye irritation.**- Respiratory or skin sensitisation** May cause an allergic skin reaction.**- Germ cell mutagenicity** Based on available data, the classification criteria are not met.**- Carcinogenicity** Based on available data, the classification criteria are not met.**- Reproductive toxicity** May damage fertility or the unborn child.**- STOT-single exposure** Based on available data, the classification criteria are not met.**- STOT-repeated exposure** Based on available data, the classification criteria are not met.**- Aspiration hazard** Based on available data, the classification criteria are not met.**- 11.2 Information on other hazards****- Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information**- 12.1 Toxicity****- Aquatic toxicity:** No further relevant information available.**- 12.2 Persistence and degradability** No further relevant information available.**- 12.3 Bioaccumulative potential** No further relevant information available.**- 12.4 Mobility in soil** No further relevant information available.**- 12.5 Results of PBT and vPvB assessment****- PBT:** Not applicable.**- vPvB:** Not applicable.**- 12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects**- Remark:** Harmful to fish**- Additional ecological information:****- General notes:**

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

Harmful to aquatic organisms

SECTION 13: Disposal considerations**- 13.1 Waste treatment methods****- Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

- Uncleaned packagings:**- Recommendation:** Disposal must be made according to official regulations.

EU

(Contd. on page 9)

Safety data sheet

according to 2020/878/EU,

Printing date 16.01.2026

Revision: 16.01.2026

Trade name: Soldermask 3.0mil 305mm

(Contd. of page 8)

SECTION 14: Transport information

- 14.1 UN number or ID number - ADR, IMDG, IATA	Void
- 14.2 UN proper shipping name - ADR, IMDG, IATA	Void
- 14.3 Transport hazard class(es) - ADR, ADN, IMDG, IATA - Class	Void
- 14.4 Packing group - ADR, IMDG, IATA	Void
- 14.5 Environmental hazards:	Not applicable.
- 14.6 Special precautions for user	Not applicable.
- 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.
- Annex II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors
78-93-3 2-butanone
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
78-93-3 2-butanone
- National regulations
- Water hazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57
71868-10-5 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

EU

(Contd. on page 10)

Safety data sheet

according to 2020/878/EU,

Printing date 16.01.2026

Revision: 16.01.2026

Trade name: Soldermask 3.0mil 305mm

(Contd. of page 9)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:** Environment protection department.

- **Version number of previous version:** 1

- **Abbreviations and acronyms:**

ADR: Accord européen relatif au transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

EU