Printing date 11.01.2024

Version number 1

Revision: 11.01.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: Fixer f. Filmstar 10l concentr. f. 30 L

· Article number: 71330

• Registration number

Registration numbers of the individual components: see section 3.2, if applicable.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against -
- · Application of the substance / the preparation: Photographic fixer
- · Uses advised against

Only for professional use. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier:

Bungard Elektronik GmbH & Co. KG Rilkestraße 1 51570 Windeck Telefax +49 2292/9-2828-0 Telefon +49 2292/9-2828-29

Further information obtainable from: info@bungard.de

1.4 Emergency telephone number: Medical Emergency information in case of poisoning: Poison Information Center Mainz – 24h – Phone: +49 6131 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC
 Xi; Irritant
 R36: Irritating to eyes.
- Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Warning

(Cont. on page 2)

Printing date 11.01.2024

Version number 1

Revision: 11.01.2024

Trade name: Fixer f. Filmstar 10I concentr. f. 30 L

(Cont. from page 1)

· Hazard statements H319 Causes serious eye irritation. Precautionary statements P264 Wash thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 10043-01-3 EINECS: 233-135-0		Xi R41 📀 Met. Corr.1, H290; Eye Dam. 1, H318	1-<5%
· Additional informat	ion. For the wording of the	listed risk phrases refer to section 16	

the wording

SECTION 4: First aid measures

4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Cont. on page 3)

Printing date 11.01.2024

Version number 1

Revision: 11.01.2024

(Cont. from page 2)

Trade name: Fixer f. Filmstar 10I concentr. f. 30 L

• Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required. • 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Store in cool, dry conditions in well sealed receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Protect from frost.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat or drink while working.
- Respiratory protection: Not necessary if room is well-ventilated.

(Cont. on page 4)

Page 4/7

Safety data sheet According to 1907/2006/EC, Article 31

Printing date 11.01.2024

Version number 1

Revision: 11.01.2024

(Cont. from page 3)

Trade name: Fixer f. Filmstar 10I concentr. f. 30 L

• Protection of hands:

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.



Protective gloves

Material of gloves

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness \geq 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness \geq 0.38 mm, breakthrough time > 480 min) or neoprene (thickness \geq 0.65 mm, breakthrough time > 240 min).

As protection from splashes gloves made of the following materials are suitable:

For intermittent splash protection corresponding gloves with breaktrough time > 60 min. can be used.

- Not suitable are gloves made of the following materials: Natural rubber, NR
- Eye protection:



Safety glasses

EN166

Body protection: Protective work clothing

9.1 Information on basic physical a General Information	and chemical properties	
Appearance:		
Form:	Liquid	
Colour:	Light yellow	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C:	4.9	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	

GB

Printing date 11.01.2024

Version number 1

Revision: 11.01.2024

Trade name: Fixer f. Filmstar 10I concentr. f. 30 L

	(Cont.	from page
Upper:	Not determined.	
Oxidising properties	Not applicable.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.283 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octano	l/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC (EC)	0.00 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See "Fire Fighting measures".
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity
- · Primary irritant effect:
- Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Irritating effect.
- Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

(Cont. on page 6)

Printing date 11.01.2024

Version number 1

Revision: 11.01.2024

Trade name: Fixer f. Filmstar 10I concentr. f. 30 L

(Cont. from page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

09 00 00 WASTES FROM THE PHOTOGRAPHIC INDUSTRY

09 01 00 wastes from the photographic industry

09 01 04* fixer solutions

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Not applicable	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Not applicable	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Not applicable	
14.4 Packing group		
ADR, IMDG, IATA	Not applicable	

Printing date 11.01.2024

Version number 1

Revision: 11.01.2024

Trade name: Fixer f. Filmstar 10l concentr. f. 30 L

		(Cont. from page 6)
• 14.5 Environmental hazards:		
• Marine pollutant:	No	
• 14.6 Special precautions for user	Not applicable.	
• 14.7 Transport in bulk according to Anr	n ex ll	
of MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals. H318 Causes serious eye damage.

R41 Risk of serious damage to eyes.

· Creation Date 15.07.2009

Creation Date 15.07.2009
 Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 Met. Corr.1: Corrosive to metals, Hazard Category 1
 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

• * Data modified compared to previous version.

→B—